

BioPro-Bokashi usage guide

Dosage and Direction for use:

- BioPro-Bokashi is ready to use,
- Mix only as much as is directed in the usage guide for each application

Note: Mixture should be used within 72 hours

	Species	Route	Dosage	Directions
Cattle (Beef)	Incoming Cattle (1st week)	Feed	60g per head	Mix into feed prior to feeding.
	8 - 30 days	Feed	25g per head	
	30+ days	Feed	20g per head	
	Sick Pen	Feed	100g per head	
Cattle (Dairy)	Heifers	Feed	30g per head	Mix into feed prior to feeding.
	Cows in Lactation	Feed	60g per head	
	Dry Cows	Feed	30g per head	



BioPro-Bokashi is a feed additive concentrate of probiotic microorganisms for administration via animal feed.

BioPro-Bokashi

Probiotic Feed Additive

Minimum Content Lactic Acid Bacteria: 3×10^5 cfu/ml

BIOPRO-BOKASHI IS NOT HAZARDOUS

Storage

Store at room temperature out of direct sunlight. Sedimentation may form. This is normal as this is a natural product.

Registration holder, manufactured and distributed by: Rhino Agrivantage (Pty) Ltd.
Registration no. 2010/ 005404/ 07

Tel: +27 21 975 4633

Email: info@rhinoagrivantage.co.za
Address: 5 Waterblommetjie Street,
Wellington Industrial Park, Wellington, 7654

Registration No: V27546

Act 36 of 1947.



Please recycle

SHAKE WELL BEFORE USE

1kg 3kg 5kg 25kg